

ARMY RESEARCH LABORATORY



Regarding the Frequency-Based Equation of State of Segletes

by Steven B. Segletes

ARL-TR-1403

June 1997

19970707 067

[DTIC QUALITY INSPECTED 3

Approved for public release; distribution is unlimited.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer need. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-TR-1403**June 1997**

Regarding the Frequency-Based Equation of State of Segletes

Steven B. Segletes

Weapons and Materials Research Directorate, ARL

DTIC QUALITY INSPECTED 3

Approved for public release; distribution is unlimited.

Abstract

Clarifications and observations are made regarding Segletes' equation of state, in response to recent comments and criticisms. A theoretical justification for the form of the equation of state is laid out in more precise detail. The model is shown to produce high-quality fits to shock-, as well as cold-compression data, especially when accounting for the experimental variability of the model input parameters. The falseness of the correspondence between the volumetric and vibrational spring constants for an atomic lattice, previously inferred from Segletes' equation of state, is proven by alternate means. The non-Grüneisen behavior of aluminum is addressed, and a brief note is made regarding the nature of isentropic transitions.

Acknowledgments

I would like to express a great deal of gratitude to Dr. George A. Gazonas, of the U.S. Army Research Laboratory (ARL), for providing an excellent review of this work. I am continually grateful to Mr. Konrad Frank and Dr. Andrew Dietrich, of ARL, for their constant encouragement and support of my efforts on this topic. Finally, loving thanks goes to my wife, Gabriele, for her support and encouragement of my work.

INTENTIONALLY LEFT BLANK.

Table of Contents

	<u>Page</u>
Acknowledgments	iii
List of Figures	vii
1. Background	1
2. Justification for the Form of Segletes	4
3. Quality of Fits to Shock Data	9
4. The Volumetric vs. Vibrational Spring Constant	11
5. The Non-Grüneisen Behavior of Aluminum	14
6. Isentropic Transitions	16
7. Conclusions	17
8. References	19
Distribution List	21
Report Documentation Page	41

INTENTIONALLY LEFT BLANK.

List of Figures

<u>Figure</u>		<u>Page</u>
1.	Cold curve (lower) and Hugoniot fits (upper) for palladium. Data and dashed Hugoniot taken from Segletes [1], with Γ_0 computed as 2.44. Solid line offers improved fit, by selecting Γ_0 in the range of previously published values, at 2.65	10
2.	Cold curve (lower) and Hugoniot fits (upper) for silver. Data and dashed Hugoniot taken from Segletes [1], with Γ_0 computed as 2.55. Solid line offers improved fit, by selecting Γ_0 in the range of previously published values, at 2.2 ..	10
3.	The energy potential of Rose et al. [8], depicting inflection point and, thus, location of force extremum and volumetric-spring-constant zero	13

INTENTIONALLY LEFT BLANK.

1. Background

Since the introduction of “An Equation of State for Metals [1],” a good deal of interest has been shown in the work and its sequel papers [2–4]. Some of that interest has come in the form of questions from would-be users of the model. Other helpful comments and suggestions came from readers interested in the subject, and, not without precedent, criticisms were leveled by various reviewers. Hence, in this report, further explanation is provided to buttress the theoretical basis for some of the model’s features. This paper answers reviewer’s questions, points out some subtler features, and ties up loose ends regarding Segletes’ equation of state for metals.

The earlier documents [1–4] should be consulted for full understanding of the model. To facilitate a proper frame of mind for the current reading, however, a cursory review of the work leading up to this report is given here. Segletes [1] introduced an equation of state for metals, which has the unique distinction of being both a frequency-based (*i.e.*, characteristic-temperature-based) approach, as well as a model that incorporates our current understanding of the lattice potential.

Earlier frequency-based approaches, like those of Slater [5], Dugdale and MacDonald [6], and Vashchenko and Zubarev [7] did not have lattice-potential data available to them to critically test their models. Later models, like those of Rose *et al.* [8], Vinet *et al.* [9, 10], Baonza, Cáceres, and Núñez [11], and Baonza *et al.* [12], though reflecting a more current understanding and recent data of the lattice energy potential, remain, by contrast, in the domain of density and interatomic distance, rather than that of the lattice vibrational frequency spectrum. One point that this report shows is that the characteristic temperature of the lattice, which relates to the vibrational frequency spectrum, is necessarily the natural variable in an equation of state for solids, in preference to, for example, interatomic distance.

Segletes [1] gave his equation as

$$p \psi - E = E_b \left\{ \left[\left(\Theta / \Theta_0 \right)^K - 1 \right] + K (K - 1) \left(\Theta / \Theta_0 \right)^K \ln \left(\Theta / \Theta_0 \right) \right\} . \quad (1)$$

In this equation, Θ is the characteristic temperature of the lattice, which is (according to Grüneisen theory) taken as a function of volume only. The variables p and E are the pressure and specific internal energy respectively; K is a parameter, given by $C_0/(\Gamma_0 E_b^{1/2}) = \eta/(3 \Gamma_0)$, where C_0 is the reference bulk sound speed at zero temperature and pressure, E_b is the specific lattice binding energy, and η is the lattice anharmonicity parameter given by Rose *et al.* [8]; and $\psi = V/\Gamma = (\partial E/\partial p)_V$ is a thermodynamic variable introduced [13, 14] for ease in manipulating the governing equations. When this variable, ψ , is likewise retained as a function of volume only (*i.e.*, independent of temperature) the relationship that relates the characteristic temperature to the Grüneisen function becomes

$$\frac{\Theta'}{\Theta} = -\frac{1}{\psi} , \quad (2)$$

where the prime denotes differentiation with respect to specific volume, V . The generalized cold curve associated with eqn (1) is

$$E_c = E_b \{1 - (\Theta/\Theta_0)^K [1 - K \ln(\Theta/\Theta_0)]\} \quad (3)$$

and

$$p_c = \frac{E_b K^2}{\psi} (\Theta/\Theta_0)^K \ln(\Theta/\Theta_0) . \quad (4)$$

In the original paper [1], in which eqns (1)–(4) were introduced, a linear form for $\psi(V)$ was adopted, based on previous work on the thermodynamic stability of the Grüneisen equation of state [13–15]. Excellent fits to cold-compression data prevailed for the nine metals studied, with the resulting constrained predictions of shock-compression behavior also being exceptional into the megabar regime (with one explainable exception). On the lattice expansion side of equilibrium, an adequate correlation was achieved to the universal lattice potential of Rose *et al.* [8]. Eqn (3), which was the actual genesis of Segletes' model, was inspired by the universal potential of Rose *et al.* [8]. This inspiration, by which a functional correlation was drawn

between the characteristic temperature and Rose's lattice parameter term, was not addressed in the greatest detail. This report, thus, lays out a much firmer justification for the functional form of Segletes' model than was, perhaps, implied in his original work [1].

In the next papers to have appeared on the subject, Segletes and Walters [2, 3] examined the use of an empirical power-law fit for $\psi(V)$, in preference to the linear fit used in the original work [1]. The fit to compression data remained exceptional, while at the same time, an excellent correlation was achieved in the expansion end of the lattice energy potential by relating, in a linear fashion, the lattice anharmonicity parameter, η , of Rose *et al.* [8] to the power-law exponent on ψ . By ignoring higher order terms, the power-law $\psi(V)$ could be made, to reproduce the historical Grüneisen models of Slater [5], Dugdale and MacDonald [6], as well as Vashchenko and Zubarev [7] merely through appropriate selection of a single parameter—the power-law exponent on $\psi(V)$. By retaining the higher order terms, however, important differences arose between the older and current models.

In a more recent paper, Segletes [4] took the idealized quasi-harmonic form of his model (defined when the K parameter takes on a value identically equal to unity and the Grüneisen function varies as $\Gamma \sim V^{1/3}$ [*i.e.*, $\psi \sim V^{2/3}$]) and was able to show how this form reduces to the harmonic approximation for an atomic lattice as the Grüneisen function approaches zero. Such a result is important, since the harmonic approximation is the viewpoint historically used to derive many of the results relating to the behavior of atomic lattices.

Furthermore, Segletes [4] inferred from his model the falseness of the assertion that the volumetric spring constant, $dF/d\lambda$ (where F is the interatomic force, and λ is the lattice spacing) is, in general, the same spring constant that drives the vibrational frequency of the lattice (termed as $\partial F_{vib}/\partial x$). The assertion of a proportionality between the volumetric and vibrational spring constants derives from one-dimensional (1-D) lattice theory in which the motion of an atom is influenced only by interactions with its nearest neighbors. In such an idealized configuration, the spring constants $dF/d\lambda$ and $\partial F_{vib}/\partial x$ are indeed equal to each other. That such a proportionality of spring constants would hold, in the general case of real atomic lattices, is an assumption that has pervaded the literature on the subject, having been used, in part or whole, by Slater [5], Dugdale and MacDonald [6], Brillouin [16] and, more recently, Guinea *et al.* [17].

In this report, a simple example is offered that contradicts the assumed correlation of $dF/d\lambda$ and $\partial F_{vib}/\partial x$, thereby disproving the basis for such an assumption. Such a refutation of proportionality is vital in promoting the acceptance of Segletes' model, since the model was shown [4] to deny such a proportionality. A qualitative explanation is offered as to why there should arise a functional discrepancy between $dF/d\lambda$ and $\partial F_{vib}/\partial x$.

2. Justification for the Form of Segletes

Segletes' model [1] was not derived from first principles of physics and might, therefore, seem to call into doubt the scientific basis of his form. On the contrary, the justification arises through the use of mathematical arguments to link the homogeneous solution of the Grüneisen cold curve to a term in the lattice energy potential of Rose *et al.* [8]. Let us proceed to prove this point.

The Grüneisen equation of state may be expressed in a variety of ways, but amounts to the following:

$$p - p_{ref} = (E - E_{ref})/\psi . \quad (5)$$

In this equation, the reference functions are the pressure and specific internal energy states along a known reference curve, such as an isotherm, isentrope, or Hugoniot. Since, for Grüneisen materials, p_{ref} , E_{ref} , and ψ are functions of volume alone, the solution to the Grüneisen equation of state, eqn (5), amounts to determining ψ and $G(V)$, which satisfy

$$p\psi - E = G(V) . \quad (6)$$

Along the cold curve, where $p_c = -E'_c$, one obtains the differential equation

$$\psi E'_c + E_c = -G(V) . \quad (7)$$

A complementary solution to the homogeneous form of eqn (7), corresponding to $G(V) = 0$, is

$$E_c = C\Theta \quad , \quad (8)$$

which may be verified through the use of eqn (2), where C is an integration constant. Incidentally, it is this complementary solution that constitutes the cold curve in both the Einstein and the Debye equations of state (*i.e.*, no particular solutions were offered).

When Rose *et al.* [8] made their case for a universal form of the lattice energy potential, they proposed a form given by

$$E_{pot} = -E_b (1 + a + 0.05 a^3) \exp(-a) \quad , \quad (9)$$

where E_b is the specific lattice binding energy, and a is a dimensionless parameter defining the relative spacing of the lattice atoms, given by

$$a = \eta \left((V/V_0)^{1/3} - 1 \right) \quad . \quad (10)$$

In eqn (10), the parameter η is called the anharmonicity factor. Note that, by lattice energy potential, we refer to the cold energy expressed relative to the infinite lattice-separation condition:

$$E_{pot} = E_c - E_b \quad . \quad (11)$$

The form of Rose *et al.* [8] is such that the potential energy could be expressed in terms of a single independent variable, a , given by eqn (10). To a very good order, this a variable scales the universal potential to that for each material through a single parameter, η . In their case, this independent variable is expressable in terms of specific volume, as in eqn (10), or alternately in terms of lattice spacing, λ , as

$$a = \eta (\lambda/\lambda_0 - 1) \quad . \quad (12)$$

We note here that, though adequate for measures of compression, interatomic distance is not the natural variable in defining the thermal behavior of a lattice, and thus conclude that it is unlikely

that a thermal equation of state, of general form, would arise from the Rose potential, if the independent variable is left in terms of interatomic distance.

If a general thermal equation of state were to exist of Grüneisen variety, expressible in terms of a single independent variable, then we can see that the characteristic temperature, Θ , is the natural choice for that variable, since both it and its spacial derivatives directly tie thermal behavior to compressive behavior. This case is clearly made by observing that Θ relates to thermal behavior of a lattice by way of the Grüneisen function, Γ , according to eqn (2), where, for reminder, ψ equals V/Γ . Simultaneously, eqn (8) shows how $C\Theta$ is a complementary solution of the Grüneisen cold-compression curve (or alternately, the lattice potential).

The thermodynamic variable Θ is unique in this regard. However, there is nothing new in the assertion about the importance of Θ and its derivatives. Slater [5], Dugdale and MacDonald [6] and others have attempted to relate the cold curve to the Grüneisen function (a derivative of Θ). They recognized Γ as being key to a general equation of state but did not have, at the time, the universal potential of Rose *et al.*, or the cold-compression data that support it, at their disposal for comparison.

Segletes [1] did not know, *a priori*, the makeup of the G function that might satisfy a general form of eqn (6), either in terms of $G(V)$ or, to be truly general, in terms of $G(\Theta)$. However, he did know that *if* a single-variable, general, thermal equation of state exists, then it must satisfy or approximate the universal lattice potential of Rose *et al.* [8].

Ignoring, for the moment, the higher order, a^3 correction term of eqn (9) (as have many sequel authors, including Rose himself), the terms of Rose's potential are $\exp(-a)$ and $a \exp(-a)$. Recalling that $E_c = C\Theta$ is a complementary solution to the Grüneisen cold curve, we shall proceed, for the moment, as if this term constitutes the totality of the complementary solution space. Though it is possible, under unique boundary conditions, that the complementary solution to a differential equation does not appear in the particular solution, such a scenerio is highly unlikely in the general case. Proceeding on this basis, we may logically conclude, therefore, that if a general thermal equation of state in one variable exists at all, then Θ is the independent variable and must correspond to a term or term grouping in the potential of Rose *et al.* [8]. The

possibilities here are quite limited, and we see that Θ may take on one of only three possible forms: either $\Theta \sim \exp(-a)$, $\Theta \sim a \exp(-a)$, or Θ goes as the sum of these two terms.

The second possibility is shown immediately not to be plausible, since $\Theta \sim a \exp(-a)$ would have Θ equaling zero at ambient lattice spacing. The third possibility, involving the sum of the two terms, would essentially leave the energy potential, eqn (9), proportional to Θ , which amounts to Debye's or Einstein's equation of state, depending on how Θ were defined. Thus, Segletes [1] proceeded to investigate the first and only remaining case. With $\Theta \sim \exp(-a)$ as the subject of his investigation, a G function needed to be determined so as to be compatible with the universal potential. It was intellectually satisfying to find that taking the absolutely simplest form of G in terms of Θ (i.e., $G = A\Theta - B$) where A and B are constants, then the general solution to the Grüneisen equation of state, eqn (9), is

$$E_c = B - C\Theta(1 - A/C \ln \Theta) . \quad (13)$$

This solution, based on the possibility that $\Theta \sim \exp(-a)$, may be readily converted into the form of Rose *et al.* (minus the a^3 correction), given appropriate selection of constants A , B , and C .

We thus have an equation of state form, in terms of Θ , that can at least be made to fit the universal lattice potential and is compatible with the complementary solution of the Grüneisen cold curve. This form has come with certain assumptions and conditions, so let us review them. First, this form asserts the temperature independence of the Grüneisen function, which seems true for many materials over a wide range of pressure and volume. Second, we accept the form of the interatomic potential put forth by Rose *et al.*, though we will drop the cubic correction term, in the hope that the term will not be necessary, when results are expressed in terms of the natural variable, Θ , rather than λ or V . Third, we assert that the complementary solution to the Grüneisen potential should show up as a term in the particular solution, in this case, corresponding to a term in the potential of Rose *et al.* Such a mapping would be a mathematical certainty, unless an unusual boundary condition governed, in the general case, to zero out the complementary solution from the particular solution. Fourth, a complementary solution to the Grüneisen potential was determined, and is proportional to the characteristic temperature, Θ .

Fifth, the only term in Rose's potential to which this Θ term might correspond and still produce a new and meaningful equation of state, is the $\exp(-a)$ term. This mapping may also be expressed as $a = -\ln(\Theta/\Theta_0)$.

This mapping mathematically corresponds, for eqns (1)–(4), to the idealized $K = 1$ case, which constitutes one part of the definition for a quasi-harmonic material [4]. The other part of the quasi-harmonic definition, that $\Gamma \sim V^{1/3}$, was shown [4], by integration of eqn (2), to imply for the quasi-harmonic case only, that

$$a = -\ln(\Theta/\Theta_0) = 3 \Gamma_0 (\lambda/\lambda_0 - 1) \quad (\text{Quasi-Harmonic}) \quad (14)$$

Were actual materials indeed quasi-harmonic, then this mapping for the a variable provides the exact definition used by Rose *et al.* [8], given in eqn (12), since Segletes [1] showed that the anharmonicity parameter, η , for the $K = 1$ case, exactly equals $3 \Gamma_0$. The conclusion one may draw is that the universal lattice potential of Rose *et al.* [8], minus the cubic correction term, corresponds exactly to the zero-temperature potential associated with the idealized form of Segletes' equation of state—namely, the quasi-harmonic form.

To account for nonidealness of real materials, Rose *et al.* [8] introduced the higher order cubic term to their cold-energy potential. Segletes [1], to accomplish a similar correction for nonideal effects, relaxed the mapping from the idealized form, $a = -\ln(\Theta/\Theta_0)$, to a looser form, $a = -K \ln(\Theta/\Theta_0)$, where the parameter, K , was assumed constant and determinable from known physical properties. Though this relaxation of the mapping was performed [1] *ad hoc*, so as to facilitate a fit to the data, the author will explore, in a subsequent report, how such a relaxed mapping, with the K parameter being allowed to vary slowly, may correspond to other, as yet undetermined, complementary solutions to the Grüneisen potential. The remainder of Segletes' original paper [1] showed how such a mapping, $a = -K \ln(\Theta/\Theta_0)$, onto the potential of Rose *et al.*, could model the thermal, as well as compressive, behavior of a wide variety of metals.

We note that this justification for eqn (3) is not a first-principles derivation from lattice potential theory. Desirable as that would be, the lack of such a derivation does not indicate an

absence of physics in Segletes' model. The physics of the model is that intrinsic to the Grüneisen equation of state and the lattice potential of Rose *et al.* [8], which is supported by ample data. The Grüneisen equation indicates that a general thermal equation of state, if it exists, ought to contain a $C\Theta$ term. The work of Rose *et al.* shows a universal potential in terms of the lattice-spacing variable, a . The contribution of Segletes [1] was in providing a logical link between these existing results, by showing that one of terms in Rose's potential, cast in the variable a , should correspond to the Θ term, as dictated by the governing differential equation.

3. Quality of Fits to Shock Data

In response to the criticism that the fits to shock-compression data, as reported in reference [1], are "merely adequate," the author is forced to refer such readers back to that reference. That paper "intentionally avoid[ed] taking the approach of tuning all available parameters... to avoid the criticism of so-called 'knob turning'." Instead, it took the approach of deriving all quantities solely from the atomic lattice data provided by Rose *et al.* [8] and handbook data for the thermal expansion coefficient, α . Anyone who has tried to obtain published values for the reference value of the Grüneisen function, Γ_0 , for example, will have noted the wide scatter (10% to 50% or more) in published values. Furthermore, if one tries to construct values for Γ_0 using handbook data and the relation $\Gamma_0 = 3\alpha C_0^2/C_V$, where C_V is the specific heat, the scatter is equally wide because of published variations and thermal variability of the component ingredients to Γ_0 .

So, if one wishes to improve the quality of the fits to shock data over that originally reported [1], one simple and wholly justifiable step would be to select values for Γ_0 , based on the published ranges of Γ_0 or, alternately, published values of α , C_0 , and C_V . The results for palladium, for example, reported in Segletes [1], were based on a Γ_0 value computed as 2.44. Kohn [18], for example, reports the value of Γ_0 as 2.84, while Walsh *et al.* [19] report the value as 2.18. If a value of $\Gamma_0 = 2.65$ were selected within this range, the quality of the fit to shock data (as shown in Figure 1) improves significantly. The same can be done for silver, for which the Grüneisen value was computed [1] as 2.55. Elsewhere, one may find published values from 2.2 in Desloge [20] to 2.47 in Walsh *et al.* [19]. Employing a value of 2.2, as shown in Figure 2, provides an excellent fit to the data.




Figure 1. Cold curve (lower) and Hugoniot fits (upper) for palladium. Data and dashed Hugoniot taken from reference [1], with Γ_0 computed as 2.44. Solid line offers improved fit, by selecting Γ_0 in the range of previously published values, at 2.65.




Figure 2. Cold curve (lower) and Hugoniot fits (upper) for silver. Data and dashed Hugoniot taken from reference [1], with Γ_0 computed as 2.55. Solid line offers improved fit, by selecting Γ_0 in the range of previously published values, at 2.2.

4. The Volumetric vs. Vibrational Spring Constant

Segletes [4] examined the relationship between the volumetric spring constant and the vibrational spring constant for an atomic lattice. The use here of the term “constant” is perhaps a misnomer, since these so-called constants are only constant for the case of an idealized linear (*i.e.*, harmonic) spring. In general, these constants will be a function of interatomic distance. The volumetric spring constant is defined as the derivative of the interatomic force, F , with respect to the lattice spacing, λ , or simply $dF/d\lambda$. This force, F , is readily related to the cold (nonthermal) pressure, p_c , by way of the relation, $F = p_c \lambda^2$. The vibrational spring constant, on the other hand, designated $\partial F_{vib}/\partial x$, is that spring constant that, by definition, characterizes the vibrational frequency spectrum of the lattice.

If nothing else were known of the vibrational frequency spectrum, it would be natural to investigate the proportionality of $\partial F_{vib}/\partial x$ and $dF/d\lambda$, since, for a 1-D, simply connected, harmonic lattice, these two quantities would, in fact, be identically equal. The assumption that the characteristic vibrational stiffness of an atomic spring can be made proportional to an associated volumetric stiffness has been pervasive throughout the literature. In addition to proving that Dugdale and MacDonald [6] made this assumption, Segletes [4] showed that this proportionality was assumed explicitly by Brillouin [16] and more recently by Guinea *et al.* [17]. The assumption was also used in an approximate way by Slater [5].

In contrast, Segletes [4] inferred from his equation of state that this proportionality of volumetric and vibrational spring constants does not hold, in general. Whereas the vibrational spring constant, according to vibration theory, should vary as $\partial F_{vib}/\partial x \sim \Theta^2$, Segletes' showed [4], for his idealized quasi-harmonic case, that $dF/d\lambda \sim \Theta [1 + \ln(\Theta/\Theta_0)]$. To infer this distinction from Segletes' equation of state is not to prove the distinction, and since the validity of such an implication would have the effect of overturning a large body of literature that has relied on this assumed proportionality, it would do much to bolster the acceptability of Segletes' equation of state if it could be proven, through other means, that a strict proportionality does not exist between the volumetric and vibrational spring constants. Fortunately, such a proof is easily at hand.

To make this proof, first realize that the interatomic potential for any lattice, expressed as energy vs. lattice spacing, is concave-up over all ranges of compression and into mild ranges of lattice expansion, out to an inflection point. For lattice spacings beyond this inflection point, the energy potential is concave downward out to infinity, whereupon the lattice energy approaches a constant value of zero (if the energy plotted is E_{pot}) or the binding energy (if the energy plotted is E_c). The interatomic force, F , is the (negative of the) derivative of this energy potential curve with respect to atomic lattice spacing, and the volumetric spring constant is the derivative of this force. By the rules of calculus, the interatomic force reaches an extremum, while the volumetric spring constant (the force's derivative) takes on a value of zero at this inflection point in the energy potential. The universal potential of Rose *et al.* [8], for example, shows this effect (see Figure 3). For expansions beyond this inflection point, the volumetric spring constant, $dF/d\lambda$, actually changes sign (which is why the lattice becomes mechanically unstable at that point, as was shown by Guinea *et al.* [17]). As the lattice separation becomes very large, the energy potential becomes flat, and the volumetric spring constant, once again, approaches zero, though this time asymptotically.

The characteristic frequency of the lattice, on the other hand, is a positive, monotonically decreasing function of interatomic distance, which does not reach zero until infinite separation. If the decrease of Θ were not monotonic, eqn (2) tells us that the Grüneisen function would become negative, which does not occur (with the possible exception near phase changes, where behavior is not governed by Grüneisen's assumption in any event). Since vibration theory tells us that $\partial F_{vib}/\partial x$ is proportional to the square of the characteristic lattice frequency, one may logically conclude that the vibrational spring constant is also a monotonically decreasing function of interatomic distance that does not reach zero until infinite separation. Thus, we may logically conclude that a simple proportionality between $\partial F_{vib}/\partial x$ and $dF/d\lambda$ is not possible, since $\partial F_{vib}/\partial x$ is a positive, monotonically decreasing function of interatomic distance, while $dF/d\lambda$ has been shown to be neither monotonic nor exclusively positive.

As to why such a proportionality does not hold, the author believes that the reason lies in the fact that real atomic lattices, unlike most of the idealized lattice models, experience non-nearest neighbor interactions. And though an atom in the lattice is primarily affected by its nearest neighbors, the more distant atoms, too, exert an influence. Let us keep this in mind when we




Figure 3. *The energy potential of Rose et al. [8], depicting inflection point and, thus, location of force extremum and volumetric-spring-constant zero.*

imagine the physical processes that go into the makeup of the volumetric and vibrational spring constants. Consider an atom, for simplicity's sake, in a 1-D atomic lattice (a line of atoms), where the point can be made. The volumetric spring constant, $dF/d\lambda$, answers the question of what happens to the interatomic force on this atom when *every atom in the lattice experiences a change in distance* from its nearest neighbor. When measured with respect to our atom of interest, the separation to its nearest neighbors changes by a distance of $d\lambda$, the separation to its second nearest neighbors changes by $2d\lambda$, its third neighbors by $3d\lambda$, and so on.

By comparison, the vibrational spring constant, $\partial F_{vib}/\partial x$, answers the question of what happens to the interatomic force on this atom when *only it moves with respect to a lattice, which is, on average, at a fixed location*. The real problem is more difficult, of course, since all the other atoms, in addition to our atom of interest, are vibrating about their fixed locations as well. Ignoring the vibrations of the rest of the lattice, for purposes of qualitative illustration, the separation distance from our atom of interest measured to any of our atom's neighbors is changed by $\pm dx$ as a result of the vibrational motion of our atom, regardless of whether the neighbor is adjacent to or far removed from our atom of interest. It is quite clear that these two processes are distinct, and a summation of the dF contributions from all the neighbors will likewise be different for these two cases. It is thus equally clear that there is no reason to suspect that measures of those processes, as quantified in the volumetric and vibrational spring constants, respectively, should be functionally proportional. Brillouin [16] realized this situation, as well, and discussed some general properties of the frequency spectrum of a lattice under the conditions of non-nearest neighbor interactions. Most of his rigorous solutions, however, pertain to the simpler case of nearest neighbor interactions only, where one is lured into concluding a proportionality between the volumetric and vibrational spring constants.

5. The Non-Grüneisen Behavior of Aluminum

The one material analyzed by Segletes [1] that seems to cause a great deal of consternation in the readership is aluminum. It is no wonder, since one could argue that aluminum has been unofficially selected as the standard material to which other equations of state are compared. Yet, to fit the form of eqn (1) at moderate and higher pressures, Segletes required a value of Γ_0

equal to 1.20, which is roughly half the value attributed to it at room temperature and zero pressure.

It is only natural, therefore, that one would attribute this discrepancy to Segletes' model [1] and not to the intrinsic behavior of aluminum. Yet, the author has insisted [1–3] and continues to insist that aluminum is not a well-behaved Grüneisen material. This notion is based not upon the discrepancy with the current model, but rather upon earlier equation-of-state stability work [13–15]. It was shown [14] that $d\psi/dV > 0$ is a requirement for the thermodynamic stability of Grüneisen materials. This requirement means that V/Γ must increase with volume—alternately, that Γ can not proportionately change more rapidly than volume. Fits to Γ for aluminum by others (*e.g.*, McKenna and Pastine [21]) show a Γ , which decreases from roughly 2.3 to 1.1 over the relative volume range of $V/V_0 = 1.0$ to 0.82, translating to an average $d\psi/dV$ of -1.73 over that domain. The implication of violating this stability criterion is that, at elevated pressures, $(\partial E/\partial V)_p < 0$. This sort of behavior, in which an energy addition at constant pressure causes material contraction, would generally occur only near a phase change. In aluminum, using this averaged value of $d\psi/dV$, such violations would occur at pressures as low as 200 kbar, where no phase changes are known to occur.

Such a steep gradient in ψ also violates the Hugoniot stability criterion, given as $d\psi/dV > -1$. Under such a violation, it was shown [13] that shocks originating at elevated temperatures, actually can produce postshock pressure values below the preshocked pressure—clearly a nonsensical result. Such behavior does not occur in real materials. Therefore, if one cannot account for this anomalous behavior by the presence of phase changes (and we cannot in the case of aluminum), then the only remaining conclusion is that Γ experiences a temperature dependence at mild elevations of temperature. This is to say that aluminum violates the temperature independence of the Grüneisen assumption. The author has pointed out [1–3] that Grodzka [22] presents data that support this notion. It is indeed ironic that aluminum, the material for which the greatest quantity of shock data likely exists, which is used as a reference material for so many shock experiments, should exhibit behavior that so demonstrably violates the temperature independence of the Grüneisen assumption.

6. Isentropic Transitions

An interesting side note to Segletes' equation of state is that the $\Theta \rightarrow a$ mapping was made on the basis of the complementary solution, eqn (8), to the Grüneisen cold-curve. This same complementary solution, in fact, arises for the solution of any Grüneisen isentrope (whereupon $(dE/dV)_s = -p$), of which the cold curve is but one. If this $\Theta \rightarrow a$ mapping has the validity that the data seem to show, then it would imply that the form of Rose *et al.* [8] is applicable for isentropes, and not isotherms, as was originally asserted by Vinet *et al.* [9, 10].

Such a conclusion, we will see, is also compatible with the lattice specific-heat theories of Einstein and Debye. When considering either theory for the heat capacity of a crystal lattice, an examination of the respective expressions for entropy, S , indicates that entropy for a given lattice remains constant when the quantity Θ/T remains constant, where T is the absolute temperature. Further, both theories indicate that when the quantity Θ/T is held constant, the quantity E_{thrm}/Θ also remains constant, where the subscript “*thrm*” defines the thermal component of the quantity, at a given density.

This condition, which, according to specific heat theory, defines the isentrope, $E_{thrm}/\Theta = \text{constant}$, will be shown to fall out the Grüneisen equation of state as well. To see this, take the Grüneisen equation, eqn (5), with the cold curve as the reference, and express it as

$$P_{thrm}\Psi - E_{thrm} = 0 \quad . \quad (15)$$

Since $(\partial E/\partial V)_s = -p$ and $E'_c = -p_c$, it follows that $(\partial E_{thrm}/\partial V)_s = -p_{thrm}$ as well. So, eqn (15) takes the familiar form of

$$\Psi E'_{thrm} + E_{thrm} = 0 \quad , \quad (16)$$

the solution of which is $E_{thrm} \sim \Theta$. Unlike the cold curve, however, where this solution was merely the complementary solution to the differential equation, the thermal part of the problem is homogeneous to begin with, and, so, this solution defines the particular solution as well for

isentropic transitions. Another way of expressing this solution is $(E_{\text{thrm}}/\Theta)_s = \text{constant}$, which is the same result that arises out of lattice specific-heat theory. And since the characteristic temperature is the independent variable in Segletes' equation of state, this relation provides an extremely convenient method to evaluate isentropic transitions.

7. Conclusions

A variety of subjects were touched upon, in reference to Segletes' equation of state [1–4]. Early feedback that the author has received, both positive and negative, has prompted this report, in an attempt to clarify, explain, and in some cases, prove various facets of the model.

In this report, the basic form employed by Segletes [1], when originally introducing his equation of state, is justified in a more rigorous manner. It is shown how the characteristic temperature is the natural thermodynamic variable that directly relates to both thermal and compressive behavior of a lattice. It is then shown how the theory of differential equations indicates that the complementary solution to the Grüneisen potential, which is proportional to the characteristic temperature, Θ , should correspond to a term in the interatomic lattice potential, in this case, taken as the universal potential of Rose *et al.* [8]. The only mapping between Θ and a term in the potential of Rose *et al.*, which is both unique and meaningful, was the mapping that Segletes chose in his original work [1]. It is shown how the universal potential of Rose *et al.* minus the cubic correction term it contains, corresponds exactly to the potential that results from the idealized form of Segletes' thermal equation of state, known as the quasi-harmonic idealization [4].

The question of the quality of fits achievable by Segletes' equation is then addressed. It is shown that, indeed, excellent fits may be obtained to data, better than those previously reported [1] (which were themselves exceptional, in the author's opinion, though merely adequate, to others). The quality of fit is improved by judiciously selecting the values of the physical parameters, which drive the model, in the range of previously reported (thus plausible) values, rather than just using a single source of data to obtain those parameter values. Such a technique was explicitly avoided in the original work [1], to avoid charges of so-called "parameter tuning."

A proof, employing the mathematical shape of the lattice energy potential, was given to show that a strict proportionality between the volumetric and vibrational spring constants of an atomic lattice cannot exist. The fact that Segletes' model implies a functional uniqueness to these two spring constants had gone counter to a whole body of literature that had derived results based on the assumption of an intrinsic proportionality [4]. By offering the independent proof here that no such proportionality can exist, a possible stumbling block to the acceptance of Segletes' model has been removed. A qualitative explanation was offered as to why, on the atomic level, such a proportionality should not exist.

The behavior of aluminum is, once more, and in greater detail, addressed. The seemingly anomalous behavior is explainable if one accepts the notion that aluminum experiences a temperature dependence of the Grüneisen function at mildly elevated temperatures. It is shown how prior theoretical work supports the notion that aluminum, in fact, violates the temperature independence of the Grüneisen assumption. Such a concept has met with resistance in the readership, perhaps because of aluminum's predominance as a standard material in equation-of-state experiments.

A brief note was made showing how, for an equation of state based on characteristic temperature, isentropic transitions may be easily calculated. Such a method is readily applicable to Segletes' equation of state.

8. References

1. Segletes, S. B. "An Equation of State for Metals." ARL-TR-1270, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, November, 1996.
2. Segletes, S. B., and W. P. Walters. "On Theories of the Grüneisen Parameter." ARL-TR-1303, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, March, 1997.
3. Segletes, S. B., and W. P. Walters. "On Theories of the Grüneisen Parameter." *Journal of Physics and Chemistry of Solids*, to appear, 1997.
4. Segletes, S. B. "Elastic Behavior of An Atomic Lattice Under Large Volumetric Strains: The Quasi-Harmonic Idealization." ARL-TR-1357, U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, May, 1997.
5. Slater, J. C. *Introduction to Chemical Physics*. New York: McGraw Hill, 1939.
6. Dugdale, J. S., and D. K. C. MacDonald. "The Thermal Expansion of Solids." *Physical Review*, **89** (4), pp. 832–834, 1953.
7. Vashchenko, V. Y., and V. N. Zubarev. "Concerning the Grüneisen Constant." *Soviet Physics—Solid State*, **5** (3), pp. 653–655, 1963.
8. Rose, J. H., J. R. Smith, F. Guinea, and J. Ferrante. "Universal Features of the Equation of State of Metals." *Physical Review B*, **29** (6), pp. 2963–2969, 1984.
9. Vinet, P., J. R. Smith, J. Ferrante, and J. H. Rose. "Temperature Effects on the Universal Equation of State for Solids." *Physical Review B*, **35** (4), pp. 1945–1953, 1987.
10. Vinet, P., J. H. Rose, J. Ferrante, and J. R. Smith. "Universal Features of the Equation of State of Solids." *Journal of Physics: Condensed Matter*, **1**, pp. 1941–1963, 1989.
11. Baonza, V. G., M. Cáceres, and J. Núñez. "Universal Compressibility Behavior of Dense Phases." *Physical Review B*, **51** (1), pp. 28–37, 1995.

12. Baonza, V. G., M. Taravillo, M. Cáceres, and J. Núñez. "Universal Features of the Equation of State of Solids from a Pseudospinodal Hypothesis." *Physical Review B*, **53** (9), pp. 5252–5258, 1996.
13. Segletes, S. B. "Further Examinations on the Thermodynamic Stability of the Mie-Grüneisen Equation of State." *Journal of Applied Physics*, **76** (8), pp. 4560–4566, 1994.
14. Segletes, S. B. "The Effect of Thermodynamic Constraints upon the Mie-Grüneisen Equation of State." in *Constitutive Laws*. A. M. Rajendran, R. C. Batra (eds.), Barcelona: CIMNE, pp. 46–51, 1995.
15. Segletes, S.B. "Thermodynamic Stability of the Mie-Grüneisen Equation of State, and Its Relevance to Hydrocode Computations." *Journal of Applied Physics*, **70** (5), pp. 2489–2499, 1991. also Erratum: **71** (2), p. 1074.
16. Brillouin, L. *Wave Propagation in Periodic Structures*. New York: Dover, 1953. Originally published by New York: McGraw Hill, 1946.
17. Guinea, F., J. H. Rose, J. R. Smith, and J. Ferrante. "Scaling Relations in the Equation of State, Thermal Expansion, and Melting of Metals." *Applied Physics Letters*, **44** (1), pp. 53–55, 1984.
18. Kohn, B. J. "Compilation of Hugoniot Equations of State." AFWL-TR-69-38, U.S. Air Force Weapons Laboratory, Kirtland AFB, NM, April, 1969.
19. Walsh, J. M., M. H. Rice, R. G. McQueen, and F. L. Yarger. "Shock-Wave Compressions of Twenty-Seven Metals. Equations of State of Metals." *Physical Review*, **108** (2), pp. 196–216, 1957.
20. Desloge, E. A. *Thermal Physics*. Holt, New York: Rinehart & Winston, 1968.
21. McKenna, P., and D. J. Pastine. "Volume Dependence of the Grüneisen Parameter for Aluminum." *Journal of Applied Physics*, **39** (13), p. 6104, 1968.
22. Grodzka, P. G. "Grüneisen Parameter Study." Lockheed Missile Space Company Report LMSC/HREC A784868, Huntsville, AL, 1967.

NO. OF
COPIES ORGANIZATION

2 DEFENSE TECHNICAL
INFORMATION CENTER
DTIC DDA
8725 JOHN J KINGMAN RD
STE 0944
FT BELVOIR VA 22060-6218

1 HQDA
DAMO FDQ
DENNIS SCHMIDT
400 ARMY PENTAGON
WASHINGTON DC 20310-0460

1 CECOM
SP & TRRSTRL COMMCTN DIV
AMSEL RD ST MC M
H SOICHER
FT MONMOUTH NJ 07703-5203

1 PRIN DPTY FOR TCHNLGY HQ
US ARMY MATCOM
AMCDCG T
M FISETTE
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

1 PRIN DPTY FOR ACQUSTN HQS
US ARMY MATCOM
AMCDCG A
D ADAMS
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

1 DPTY CG FOR RDE HQS
US ARMY MATCOM
AMCRD
BG BEAUCHAMP
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

1 ASST DPTY CG FOR RDE HQS
US ARMY MATCOM
AMCRD
COL S MANESS
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

NO. OF
COPIES ORGANIZATION

1 DPTY ASSIST SCY FOR R&T
SARD TT F MILTON
THE PENTAGON RM 3E479
WASHINGTON DC 20310-0103

1 DPTY ASSIST SCY FOR R&T
SARD TT D CHAIT
THE PENTAGON
WASHINGTON DC 20310-0103

1 DPTY ASSIST SCY FOR R&T
SARD TT K KOMINOS
THE PENTAGON
WASHINGTON DC 20310-0103

1 DPTY ASSIST SCY FOR R&T
SARD TT B REISMAN
THE PENTAGON
WASHINGTON DC 20310-0103

1 DPTY ASSIST SCY FOR R&T
SARD TT T KILLION
THE PENTAGON
WASHINGTON DC 20310-0103

1 OSD
OUSD(A&T)/ODDDR&E(R)
J LUPO
THE PENTAGON
WASHINGTON DC 20301-7100

1 INST FOR ADVNCD TCHNLGY
THE UNIV OF TEXAS AT AUSTIN
PO BOX 202797
AUSTIN TX 78720-2797

1 DUSD SPACE
1E765 J G MCNEFF
3900 DEFENSE PENTAGON
WASHINGTON DC 20301-3900

1 USAASA
MOAS AI W PARRON
9325 GUNSTON RD STE N319
FT BELVOIR VA 22060-5582

NO. OF
COPIES ORGANIZATION

1 CECOM
PM GPS COL S YOUNG
FT MONMOUTH NJ 07703

1 GPS JOINT PROG OFC DIR
COL J CLAY
2435 VELA WAY STE 1613
LOS ANGELES AFB CA 90245-5500

1 ELECTRONIC SYS DIV DIR
CECOM RDEC
J NIEMELA
FT MONMOUTH NJ 07703

3 DARPA
L STOTTS
J PENNELLA
B KASPAR
3701 N FAIRFAX DR
ARLINGTON VA 22203-1714

1 SPCL ASST TO WING CMNDR
50SW/CCX
CAPT P H BERNSTEIN
300 O'MALLEY AVE STE 20
FALCON AFB CO 80912-3020

1 USAF SMC/CED
DMA/JPO
M ISON
2435 VELA WAY STE 1613
LOS ANGELES AFB CA 90245-5500

1 US MILITARY ACADEMY
MATH SCI CTR OF EXCELLENCE
DEPT OF MATHEMATICAL SCI
MDN A MAJ DON ENGEN
THAYER HALL
WEST POINT NY 10996-1786

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL CS AL TP
2800 POWDER MILL RD
ADELPHI MD 20783-1145

NO. OF
COPIES ORGANIZATION

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL CS AL TA
2800 POWDER MILL RD
ADELPHI MD 20783-1145

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRL CI LL
2800 POWDER MILL RD
ADELPHI MD 20783-1145

ABERDEEN PROVING GROUND

2 DIR USARL
AMSRL CI LP (305)

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	US ARMY DUSA OPS RSCH ATTN DANIEL WILLARD 102 ARMY PENTAGON WASHINGTON DC 20310-0102	4	COMMANDER US ARMY BELVOIR RD&E CTR ATTN STRBE NAE B WESTLICH STRBE JMC T HANSHAW STRBE NAN S G BISHOP J WILLIAMS FORT BELVOIR VA 22060-5166
5	DEFENSE NUCLEAR AGENCY ATTN MAJ JAMES LYON CDR KENNETH W HUNTER TONY FREDERICKSON R JEFFREY LAWRENCE SPSP KIM KIBONG 6801 TELEGRAPH RD ALEXANDRIA VA 22310-3398	3	COMMANDER US ARMY RESEARCH OFFICE ATTN J CHANDRA K IYER J BAILEY PO BOX 12211 RESEARCH TRIANGLE PARK NC 27709-2211
3	COMMANDER US ARMY ARDEC ATTN AMSTA AR FSA E W P DUNN J PEARSON E BAKER PICATINNY ARSENAL NJ 07806-5000	1	NAVAL RESEARCH LABORATORY ATTN ANDREW E WILLIAMS CODE 6684 4555 OVERLOOK AVE SW WASHINGTON DC 20375
1	COMMANDER US ARMY ARDEC ATTN AMSTA AR CCH V M D NICOLICH PICATINNY ARSENAL NJ 07806-5000	1	DIRECTOR NAVAL CIVIL ENGRNG LAB ATTN J YOUNG CODE L56 PORT HUENEME CA 93043
1	COMMANDER US ARMY ARDEC ATTN E ANDRICOPOULOS PICATINNY ARSENAL NJ 07806-5000	1	NAVAL POSTGRADUATE SCHOOL PHYSICS DEPARTMENT ATTN JOSEPH STERNBERG MONTEREY CA 93943
1	COMMANDER USA STRATEGIC DEFNS CMD ATTN CSSD H LL T CROWLES HUNTSVILLE AL 35807-3801	1	NAVAL AIR WARFARE CTR ATTN STEPHEN A FINNEGAN BOX 1018 RIDGECREST CA 93556
2	COMMANDER US ARMY MICOM ATTN AMSMI RD ST WF D LOVELACE M SCHEXNAYDER REDSTONE ARSENAL AL 35898-5250	3	COMMANDER NAVAL WEAPONS CENTER ATTN T T YEE CODE 3263 D THOMPSON CODE 3268 W J MCCARTER CODE 6214 CHINA LAKE CA 93555
1	MIS DEFNS & SPACE TECHNOLOGY ATTN CSSD SD T KENNETH H JORDAN PO BOX 1500 HUNTSVILLE AL 34807-3801		

NO. OF COPIES	ORGANIZATION
12	<p>COMMANDER NAVAL SURFACE WARFARE CTR DAHLGREN DIVISION ATTN H CHEN D L DICKINSON CODE G24 CHARLES R ELLINGTON C R GARRETT CODE G22 W HOLT CODE G22 R MCKEOWN W WALLACE MORTON JR JOHN M NELSON M J SILL CODE H11 WILLIAM J STROTHER A B WARDLAW, JR. L F WILLIAMS CODE G33 17320 DAHLGREN RD DAHLGREN VA 22448</p>
13	<p>COMMANDER NAVAL SURFACE WARFARE CTR ATTN D TASKER CODE 9220 W WILSON P C HUANG CODE G402 B A BAUDLER CODE R12 R H MOFFETT CODE R12 R GARRETT CODE R12 T L JUNGLING CODE R32 R DAMINITY CODE U43 J P MATRA P WALTER L MENSI K KIDDY F J ZERILLI 10901 NEW HAMPSHIRE AVE SILVER SPRING MD 20903-5000</p>
5	<p>AIR FORCE ARMAMENT LAB ATTN AFATL DLJW W COOK M NIXON AFATL DLJR J FOSTER AFATL MNW LT D LOREY R D GUBA EGLIN AFB FL 32542</p>
1	<p>USAF PHILLIPS LABORATORY VTSI ATTN ROBERT ROYBAL KIRTLAND AFB NM 87117-7345</p>

NO. OF COPIES	ORGANIZATION
2	<p>USAF PHILLIPS LABORATORY ATTN PL WSCD FIROOZ ALLAHDADI PV VTA DAVID SPENCER 3550 ABERDEEN AVE SE KIRTLAND AFB NM 87117-5776</p>
5	<p>WRIGHT LABS ATTN MNMW JOEL W HOUSE ARMAMENT DIRECTORATE STE 326 B1 RONALD D HUNT BRYAN MILLIGAN BRUCE C PATTERSON WADE H VAUGHT 101 W EGLIN BLVD EGLIN AFB FL 32542-6810</p>
1	<p>AFIT ENC ATTN DAVID A FULK WRIGHT PATTERSON AFB OH 45433</p>
1	<p>US DEPT OF ENERGY IDAHO OPERATIONS OFFICE ATTN RONALD H JOHNSON 850 ENERGY DR IDAHO FALLS ID 83401-1563</p>
5	<p>DIRECTOR LANL ATTN J MCAFEE MS P950 D PAISLEY MS P950 L PICKLESIMER MS P950 R WARNES MS P950 S SHEFFIELD MS P952 PO BOX 1663 LOS ALAMOS NM 87545</p>
10	<p>DIRECTOR LANL ATTN M LUCERO MS A105 D MANDELL K MARK JOSEPH V REPA MS A133 MICHAEL O SCHNICK MS F607 EDWARD J CHAPYAK MS F664 J P RITCHIE MS B214 T14 R DINGUS MS B218 N KRIKORIAN MS B228 R KIRKPATRICK MS B229 PO BOX 1663 LOS ALAMOS NM 87545</p>

NO. OF
COPIES ORGANIZATION

33 DIRECTOR
 LANL
 ATTN R THURSTON MS B229
 C T KLINGNER MS B294
 R MILLER MS B294
 S J MOSSO
 B SHAFER MS C931
 G GISLER MS D436
 C RAGAN MS D449
 B LAUBSCHER MS D460
 R WELLS MS F607
 R KOPP MS F645
 R STELLINGWERF MS F645
 C WINGATE MS F645
 T ADAMS MS F663
 R GODWIN MS F663
 K JACOBY MS F663
 W SPARKS MS F663
 J SHANER MS F670
 G CANAVAN MS F675
 R GREINER MS G740
 J HILLS MS G770
 B HOGAN MS G770
 J BOLSTAD MS G787
 J WALSH MS G787
 R DAVIDSON MS K557
 R HENNINGER MS K557 N6
 T ROLLET MS K574
 P HOWE MS P915
 W DEAL MS P915
 J KENNEDY MS P915
 A ROACH MS P915
 L SCHWALBE
 W HEMSING MS P940
 E POGUE MS P940
 PO BOX 1663
 LOS ALAMOS NM 87545

7 DIRECTOR
 LLNL
 ATTN R E TIPTON L35
 D BAUM L35
 T MCABEE MS 35
 M J MURPHY
 R PIERCE L122
 R ROSINKY L122
 O J ALFORD L122
 PO BOX 808
 LIVERMORE CA 94550

NO. OF
COPIES ORGANIZATION

34 DIRECTOR
 LLNL
 ATTN D STEWART L122
 T VIDLAK L122
 B R BOWMAN L122
 W DIXON L122
 A C MITCHELL
 J A MORIARTY
 R A HEINLE
 N C HOLMES
 R PERRET L163
 W SHOTTS L163
 H KRUGER L178
 G POMYKAL L178
 M SHANNON
 G SIMONSON L180
 A SPERO L180
 W TAO L282
 P URTIEW L282
 A HOLT L290
 J E REAUGH L290
 W J NELLIS L299
 D WOOD L352
 D GAVEL L495
 J HUNTER L495
 E JOHANSSON L495
 R M KUKLO L874
 G W REPP
 DOUGLAS R FAUX L125
 NORMAN W KLINO L125H
 ROBERT BARKER L159
 MILTON FINGER L163
 MICHAEL GERASSIMENKO L178
 FRANK A HANDLER L182
 STEPHEN G COCHRAN L389
 BMDO ROBERT M HALL
 PO BOX 808
 LIVERMORE CA 94550

7 DIRECTOR
 SANDIA NATL LABS
 ATTN E S HERTEL JR MS-0819
 A ROBINSON MS-0819
 L N KMETYK
 E H BARSIS MS-031
 ERIC W REECE MS-0307
 DANIEL P KELLY MS-0307
 L WEIRICK MS-0327
 PO BOX 5800
 ALBUQUERQUE NM 87185

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
37	DIRECTOR SANDIA NATL LABS ATTN R TACHAU MS-0425 D LONGCOPE MS-0439 R REEDER D HAYES MS-0457 J ASAY MS-0458 W TEDESCHI MS-0482 J SCHULZE MS-0483 J SOUTHWARD PAUL A LONGMIRE MS-0560 T TRUCANO MS-0819 J MICHAEL MCGLAUN MS-0819 R BRANNON MS-0820 J ANG MS-0821 M BOSLOUGH MS-0821 L CHHABILDAS MS-0821 D CRAWFORD MS-0821 J DICK M FURNISH MS-0821 C HALL MS-0821 W REINHART MS-0821 P STANTON MS-0821 P TAYLOR ORG 1432 D KERNAN ORG 1433 C KONRAD K LANG M KIPP DIV 1533 P YARRINGTON DIV 1533 J MCGLAWA DIV 1541 M FORRESTAL DIV 1551 R GRAHAM DIV 1551 R LAFARGE DIV 1551 C HILLS DIV 1822 W J ANDRZEJEWSKI DIV 2512 D MARCHI DIV 2512 W VANDERMOLLEN ORG 2653 B LEVIN ORG 7816 R O NELLUMS DIV 9122 PO BOX 5800 ALBUQUERQUE NM 87185
3	ENERGETIC MATERIALS RSCH CTR/DOE NEW MEXICO INST OF MINING & TECH ATTN DAVID J CHAVEZ LARRY LIBERSKY FRED SANDSTROM CAMPUS STATION SOCORRO NM 87801

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	NASA LEWIS RESEARCH CENTER ATTN J FERRANTE CLEVELAND OH 44135
3	NASA JOHNSON SPACE CENTER ATTN ERIC CHRISTIANSEN JEANNE LEE CREWS FREDRICH HORZ MAIL CODE SN3 2101 NASA RD 1 HOUSTON TX 77058
1	APPLIED RESEARCH LAB ATTN JEFFREY A COOK 10000 BURNETT ROAD AUSTIN TX 78758
1	GM RESEARCH LABS ATTN J R SMITH WARREN MI 48090
5	JET PROPULSION LABORATORY IMPACT PHYSICS GROUP ATTN ZDENEK SEKANINA PAUL WEISSMAN BOB WEST JAMES ZWISSLER MARC ADAMS 4800 OAK GROVE DR PASADENA CA 91109
1	MAXWELL LABS S CUBED DIVISION ATTN GERALD A GURTMAN PO BOX 1620 LA JOLLA CA 92037
1	MIT LINCOLN LAB ARMY SCIENCE BOARD ATTN WADE M KORNEGAY 244 WOOD ST RM S2 139 LEXINGTON MA 02173
1	BROWN UNIVERSITY DIV OF ENGINEERING ATTN R CLIFTON PROVIDENCE RI 02912

NO. OF
COPIES ORGANIZATION

2 CALTECH
ATTN ANDREW P INGERSOLL MS 170 25
THOMAS J AHRENS MS 252 21
1201 E CALIFORNIA BLVD
PASADENA CA 91125

1 CALTECH
ATTN GLENN ORTON MS 169 237
4800 OAK GROVE DR
PASADENA CA 91007

1 DREXEL UNIVERSITY
ATTN PHYSICS DEPT
32ND & CHESTNUT ST
PHILADELPHIA PA 19104

1 GEORGIA INSTITUTE OF TECHNOLOGY
COMPUTATIONAL MODELING CENTER
ATTN S ATLURI
ATLANTA GA 30332-0356

1 GEORGIA INSTITUTE OF TECHNOLOGY
SCHOOL OF MATL SCIENCE & ENGNG
ATTN K LOGAN
ATLANTA GA 30332-0245

1 IOWA STATE UNIVERSITY
DEPT PHYSICS AND ASTRONOMY
ATTN JIM ROSE
34 PHYSICS
AMES IA 50011

5 JOHNS HOPKINS UNIV
APPLIED PHYSICS LAB
ATTN TERRY R BETZER
ALVIN R EATON
RICHARD H KEITH
DALE K PACE
ROGER L WEST
JOHNS HOPKINS ROAD
LAUREL MD 20723

1 LOUISIANA STATE UNIVERSITY
ATTN ROBERT W COURTER
948 WYLIE DR
BATON ROUGE LA 70808

NO. OF
COPIES ORGANIZATION

1 MIT DEPT OF EARTH ATMOS AND
PLANETARY SCIENCES
ATTN HEIDI B HAMMELL 54 316
CAMBRIDGE MA 02139

1 NC STATE UNIVERSITY
ATTN YASUYUKI HORIE
RALEIGH NC 27695-7908

1 PENNSYLVANIA STATE UNIVERSITY
ATTN PHYSICS DEPT
UNIVERSITY PARK PA 16802

5 SOUTHWEST RESEARCH INSTITUTE
ATTN C ANDERSON
S A MULLIN
B COUR PALAIS
J RIEGEL
J WALKER
PO DRAWER 28510
SAN ANTONIO TX 78284

1 TEXAS A&M UNIVERSITY
PHYSICS DEPARTMENT
ATTN DAN BRUTON
COLLEGE STATION TX 77843-4242

1 UC BERKELEY
MECHANICAL ENGINEERING DEPT
GRADUATE OFFICE
ATTN KEZHUN LI
BERKELEY CA 94720

1 UC DAVIS
INST OF THEORETICAL DYNAMICS
ATTN E G PUCKETT
DAVIS CA 95616

1 UC LOS ANGELES
DEPT OF MAT SCIENCE & ENGNG
ATTN J J GILMAN
LOS ANGELES CA 90024

2 UC SAN DIEGO
DEPT APPL NECH & ENGR
SVCS R011
ATTN S NEMAT-NASSER
M MEYERS
LA JOLLA CA 92093-0411

NO. OF COPIES	ORGANIZATION
2	UNIV OF ALA HUNTSVILLE AEROPHYSICS RSCH CTR ATTN GARY HOUGH DAVID J LIQUORNIK PO BOX 999 HUNTSVILLE AL 35899
1	UNIV OF ALA HUNTSVILLE CIVIL ENGRNG DEPT ATTN WILLIAM P SCHONBERG HUNTSVILLE AL 35899
1	UNIVERSITY OF CHICAGO DEPT OF THE GEOPHYSICAL SCIENCES ATTN G H MILLER 5734 S ELLIS AVE CHICAGO IL 60637
3	UNIVERSITY OF DAYTON RSCH INST KLA14 ATTN N BRAR D GROVE A PIEKUTOWSKI 300 COLLEGE PARK DAYTON OH 45469-0182
4	UNIVERSITY OF DELAWARE DEPT OF MECHANICAL ENGINEERING ATTN PROF J GILLESPIE DEAN R B PIPES PROF J VINSON PROF D WILKINS NEWARK DE 19716
1	UNIVERSITY OF ILLINOIS PHYSICS BUILDING ATTN A V GRANATO URBANA, IL 61801
1	UNIVERSITY OF MARYLAND ATTN PHYSICS DEPT (BLDG 082) COLLEGE PARK MD 20742
1	UNIVERSITY OF PUERTO RICO DEPT CHEMICAL ENGINEERING ATTN L A ESTEVEZ MAYAGUEZ PR 00681-5000

NO. OF COPIES	ORGANIZATION
1	UNIVERSITY OF TEXAS DEPT OF MECHANICAL ENGINEERING ATTN ERIC P FAHRENTHOLD AUSTIN TX 78712
1	VIRGINIA POLYTECHNIC INSTITUTE COLLEGE OF ENGINEERING ATTN R BATRA BLACKSBURG VA 24061-0219
2	AEROJET ATTN J CARLEONE S KEY PO BOX 13222 SACRAMENTO CA 95813-6000
2	AEROJET ORDNANCE ATTN P WOLF G PADGETT 1100 BULLOCH BLVD SOCORRO NM 87801
3	ALLIANT TECHSYSTEMS INC ATTN T HOLMQUIST MN11 2720 R STRYK G R JOHNSON MN11 2925 600 SECOND ST NE HOPKINS MN 55343
1	ALME AND ASSOCIATES ATTN MARVIN L ALME 6219 BRIGHT PLUME COLUMBIA MD 21044-3790
1	APPLIED RESEARCH ASSOC INC ATTN JEROME D YATTEAU 5941 S MIDDLEFIELD RD SUITE 100 LITTLETON CO 80123
2	APPLIED RESEARCH ASSOC INC ATTN DENNIS GRADY FRANK MAESTAS 4300 SAN MATEO BLVD SE ALBUQUERQUE NM 87110
1	BATTELLE ATTN ROBER M DUGAS 7501 S MEMORIAL PKWY SUITE 101 HUNTSVILLE AL 35802-2258

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	BOEING AEROSPACE CO SHOCK PHYSICS & APPLIED MATH ENGINEERING TECHNOLOGY ATTN R HELZER T MURRAY J SHRADER PO BOX 3999 SEATTLE WA 98124
1	BOEING HOUSTON SPACE STN ATTN RUSSELL F GRAVES BOX 58747 HOUSTON TX 77258
1	BRIGS CO ATTN JOSEPH E BACKOFEN 2668 PETERSBOROUGH ST HERNDON VA 20171-2443
1	CALIFORNIA RSCH & TECHNOLOGY ATTN M MAJERUS PO BOX 2229 PRINCETON NJ 08543
1	CENTURY DYNAMICS INC ATTN N BIRNBAUM 2333 SAN RAMON VALLEY BLVD SAN RAMON CA 94583-1613
1	COMPUTATIONAL MECHANICS CONSULTANTS ATTN J A ZUKAS PO BOX 11314 BALTIMORE MD 21239-0314
1	CYPRESS INTERNATIONAL ATTN A CAPONECCHI 1201 E ABINGDON DR ALEXANDRIA VA 22314
1	DEFENSE TECHNOLOGY INTL. INC ATTN D E AYER THE STARK HOUSE 22 CONCORD ST NASHUA NH 03060
1	DESKIN RESEARCH GROUP INC ATTN EDWARD COLLINS 2270 AGNEW RD SANTA CLARA CA 95054

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DOW CHEMICAL INC ORDNANCE SYSTEMS ATTN C HANEY A HART B RAFANIELLO 800 BUILDING MIDLAND MI 48667
1	G E DUVALL 5814 NE 82ND COURT VANCOUVER WA 98662-5944
3	DYNA EAST CORP ATTN P C CHOU R CICCARELLI W FLIS 3620 HORIZON DRIVE KING OF PRUSSIA PA 19406
3	DYNASEN ATTN JACQUES CHAREST MICHAEL CHAREST MARTIN LILLY 20 ARNOLD PL GOLETA CA 93117
1	R J EICHELBERGER 409 W CATHERINE ST BEL AIR MD 21014-3613
1	ELORET INSTITUTE ATTN DAVID W BOGDANOFF MS 230 2 NASA AMES RESEARCH CENTER MOFFETT FIELD CA 94035
3	ENIG ASSOCIATES INC ATTN J ENIG D J PASTINE M COWPERTHWAIT SUITE 500 11120 NEW HAMPSHIRE AVE SILVER SPRING MD 20904-2633
1	EXPLOSIVE TECHNOLOGY ATTN M L KNAEBEL PO BOX KK FAIRFIELD CA 94533

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	GB TECH LOCKHEED ATTN JAY LAUGHMAN 2200 SPACE PARK SUITE 400 HOUSTON TX 77258
2	GB TECH LOCKHEED ATTN LUCILLE BORREGO C23C JOE FALCON JR C23C 2400 NASA ROAD 1 HOUSTON TX 77058
6	GDLS 38500 MOUND RD ATTN W BURKE MZ436-21-24 G CAMPBELL MZ436-30-44 D DEBUSSCHER MZ436-20-29 J ERIDON MZ436-21-24 W HERMAN MZ 435-01-24 S PENTESCU MZ436-21-24 STERLING HTS MI 48310-3200
2	GENERAL RESEARCH CORP ATTN A CHARTERS T MENNA PO BOX 6770 SANTA BARBARA CA 93160-6770
2	GRC INTERNATIONAL ATTN TIMOTHY M CUNNINGHAM WILLIAM M ISBELL 5383 HOLLISTER AVE SANTA BARBARA CA 93111
6	INST OF ADVANCED TECHNOLOGY UNIVERSITY OF TX AUSTIN ATTN STEPHEN J BLESS JAMES CAZAMIAS HARRY D FAIR THOMAS M KIEHNE DAVID LITTLEFIELD MIKE NORMANDIA 4030-2 W BRAKER LN AUSTIN TX 78759
1	INTERNATIONAL RESEARCH ASSOC ATTN D ORPHAL 4450 BLACK AVE PLEASANTON CA 94566

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	INTERPLAY ATTN F E WALKER 18 SHADOW OAK RD DANVILLE CA 94526
1	KAMAN SCIENCES CORP ATTN DENNIS L JONES 2560 HUNTINGTON AVE SUITE 200 ALEXANDRIA VA 22303
8	KAMAN SCIENCES CORP ATTN J ELDER RICHARD P HENDERSON DAVID A PYLES FRANK R SAVAGE JAMES A SUMMERS JAMES S WILBECK TIMOTHY W MOORE THY YEM 600 BLVD S SUITE 208 HUNTSVILLE AL 35802
3	KAMAN SCIENCES CORP ATTN SHELDON JONES GARY L PADEREWSKI ROBERT G PONZINI 1500 GRDN OF THE GODS RD COLORADO SPRINGS CO 80907
4	KAMAN SCIENCES CORP ATTN NASIT ARI STEVE R DIEHL WILLIAM DOANE VERNON M SMITH PO BOX 7463 COLORADO SPRINGS CO 80933-7463
1	D R KENNEDY & ASSOC INC ATTN D KENNEDY PO BOX 4003 MOUNTAIN VIEW CA 94040
1	KERLEY PUBLISHING SERVICES ATTN G I KERLEY PO BOX 13835 ALBUQUERQUE NM 87192-3835

NO. OF
COPIES ORGANIZATION

2 KTECH CORPORATION
ATTN FRANK W DAVIES
LARRY M LEE
901 PENNSYLVANIA NE
ALBUQUERQUE NM 87110

1 LIVERMORE SOFTWARE TECH CORP
ATTN J O HALLQUIST
2876 WAVERLY WAY
LIVERMORE CA 94550

1 LOCKHEED MARTIN MISSILE & SPACE
ATTN WILLIAM R EBERLE
PO BOX 070017
HUNTSVILLE AL 35807

3 LOCKHEED MARTIN MISSILE & SPACE
ATTN M A LEVIN ORG 81 06 BLDG 598
M R MCHENRY
T A NGO ORG 81 10 BLDG 157
111 LOCKHEED WAY
SUNNYVALE CA 94088

4 LOCKHEED MISSILE & SPACE CO
ATTN JOHN R ANDERSON
WILLIAM C KNUDSON
S KUSUMI 0 81 11 BLDG 157
J PHILLIPS 0 54 50
PO BOX 3504
SUNNYVALE CA 94088

1 LOCKHEED MISSILE & SPACE CO
ATTN R HOFFMAN
SANTA CRUZ FACILITY
EMPIRE GRADE RD
SANTA CRUZ CA 95060

1 LOCKHEED NASA JSC
SPACE SCIENCE BRANCH
ATTN JAMES HYDE
BOX 58561 MC B22
HOUSTON TX 77258

1 LOCKHEED MARTIN AEROSPACE
ATTN D R BRAGG
PO BOX 5837 MP 109
ORLANDO FL 32855

NO. OF
COPIES ORGANIZATION

1 MCDONNELL DOUGLAS
ASTRONAUTICS CO
ATTN B L COOPER
5301 BOLSA AVE
HUNTINGTON BEACH CA 92647

1 ORLANDO TECHNOLOGY INC
ATTN DANIEL A MATUSKA
PO BOX 855
SHALIMAR FL 32579

1 PHYSICAL SCIENCES INC
ATTN PETER NEBOLSINE
20 NEW ENGLAND BUS CTR
ANDOVER MA 01810

3 PHYSICS INTERNATIONAL
ATTN R FUNSTON
G FRAZIER
L GARNETT
PO BOX 5010
SAN LEANDRO CA 94577

1 PRC INC
ATTN J ADAMS
5166 POTOMAC DR #103
KING GEORGE VA 22485-5824

1 RAYTHEON ELECTRONIC SYSTEMS
ATTN R KARPP
50 APPLE HILL DRIVE
TEWKSBURY MA 01876

1 ROCKWELL INTERNATIONAL
ROCKETDYNE DIVISION
ATTN H LEIFER
16557 PARK LN CIRCLE
LOS ANGELES CA 90049

1 ROCKWELL MISSILE SYS DIV
ATTN T NEUHART
1800 SATELLITE BLVD
DULUTH GA 30136

2 SAIC
ATTN JAMES FURLONG
GREGORY J STRAUCH
1710 GOODRIDGE DR
MCLEAN VA 22102

NO. OF
COPIES ORGANIZATION

1 SAIC
ATTN MICHAEL W MCKAY
10260 CAMPUS POINT DR
SAN DIEGO CA 92121

1 SHOCK TRANSIENTS INC
ATTN DAVID DAVISON
BOX 5357
HOPKINS MN 55343

2 SIMULATION & ENG CO INC
ATTN ELSA I MULLINS
STEVEN E MULLINS
8840 HWY 20 SUITE 200 N
MADISON AL 35758

2 SOUTHERN RESEARCH INSTITUTE
ATTN LINDSEY A DECKARD
DONALD P SEGERS
PO BOX 55305
BIRMINGHAM AL 35255-5305

5 SRI INTERNATIONAL
ATTN JAMES D COLTON
D CURRAN
R KLOOP
R L SEAMAN
D A SHOCKEY
333 RAVENSWOOD AVE
MENLO PARK CA 94025

2 TELEDYNE BROWN ENGR
ATTN JIM W BOOTH
MARTIN B RICHARDSON
PO BOX 070007 MS 50
HUNTSVILLE AL 35807-7007

1 ZERNOW TECHNICAL SVCS INC
ATTN LOUIS ZERNOW
425 W BONITA AVE SUITE 208
SAN DIMAS CA 91773

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

35 DIR, USARL
ATTN: AMSRL-WM, I MAY
AMSRL-WM-MC, J WELLS
AMSRL-WM-MF,
S CHOU
D DANDEKAR
A RAJENDRAN
AMSRL-WM-PA, S HOWARD
AMSRL-WM-PB, A ZIELINSKI
AMSRL-WM-PC, R PESCE-RODRIGUEZ
AMSRL-WM-PD, G GAZONAS
AMSRL-WM-T, W F MORRISON
AMSRL-WM-TA,
M BURKINS
W GILLICH
W BRUCHEY
J DEHN
G FILBEY
W A GOOCH
H W MEYER
E J RAPACKI
J RUNYEON
AMSRL-WM-TB,
R FREY
P BAKER
R LOTTERO
J STARKENBERG
AMSRL-WM-TC,
W S DE ROSSET
T W BJERKE
R COATES
F GRACE
K KIMSEY
M LAMPSON
D SCHEFFLER
S SCHRAML
G SILSBY
B SORENSEN
R SUMMERS
W WALTERS

NO. OF
COPIES ORGANIZATION

16 DIR, USARL
 AMSRL-WM-TD,
 A M DIETRICH
 K FRANK
 J HARRISON
 M RAFTENBERG
 G RANDERS-PEHRSON
 M SCHEIDLER
 S SCHOENFELD
 S SEGLETES (5 CP)
 J WALTER
 T WRIGHT
 AMSRL-WM-WD,
 J POWELL
 A PRAKASH

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	AERONAUTICAL & MARITIME RESEARCH LABORATORY ATTN N BURMAN S CIMPOERU D PAUL PO BOX 4331 MELBOURNE VIC 3001 AUSTRALIA
1	EMBASSY OF AUSTRALIA ATTN R WOODWARD COUNSELLOR DEFENCE SCIENCE 1601 MASSACHUSETTS AVE NW WASHINGTON DC 20036-2273
1	ABTEILUNG FUER PHYSIKALISCHE CHEMIE MONTANUNIVERSITAET ATTN E KOENIGSBERGER A 8700 LEOBEN AUSTRIA
1	PRB S A ATTN M VANSNICK AVENUE DE TERVUEREN 168 BTE 7 BRUSSELS B 1150 BELGIUM
1	ROYAL MILITARY ACADEMY ATTN E CELENS RENAISSANCE AVE 30 B1040 BRUSSELS BELGIUM
1	BULGARIAN ACADEMY OF SCIENCES SPACE RESEARCH INSTITUTE ATTN VALENTIN GOSPODINOV 1000 SOFIA PO BOX 799 BULGARIA
1	CANADIAN ARSENALS LTD ATTN P PELLETIER 5 MONTEE DES ARSENAUX VILLIE DE GRADEUR PQ J5Z2 CANADA
1	DEFENCE RSCH ESTAB SUFFIELD ATTN D MACKAY RALSTON ALBERTA T0J 2N0 RALSTON CANADA

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DEFENCE RSCH ESTAB SUFFIELD ATTN CHRIS WEICKERT BOX 4000 MEDICINE HAT ALBERTA T1A 8K6 CANADA
1	DEFENCE RSCH ESTAB VALCARTIER ARMAMENTS DIVISION ATTN R DELAGRAVE 2459 PIE X1 BLVD N PO BOX 8800 CORCELETTE QUEBEC GOA 1R0 CANADA
1	UNIVERSITY OF GUELPH PHYSICS DEPT ATTN C G GRAY GUELPH ONTARIO N1G 2W1 CANADA
1	CEA ATTN ROGER CHERET CEDEX 15 313 33 RUE DE LA FEDERATION PARIS 75752 FRANCE
1	CEA CISI BRANCH ATTN PATRICK DAVID CENTRE DE SACLAY BP 28 GIF SUR YVETTE 91192 FRANCE
1	CEA/CESTA ATTN ALAIN GEILLE BOX 2 LE BARP 33114 FRANCE
6	CENTRE D'ETUDES DE GRAMAT ATTN SOLVE GERARD CHRISTIAN LOUPIAS PASCALE OUTREBON J CAGNOUX C GALLIC J TRANCHET GRAMAT 46500 FRANCE

NO. OF COPIES	ORGANIZATION
2	CENTRE D'ETUDES DE LIMEIL-VALENTON ATTN CHRISTIAN AUSSOURD JEAN-CLAUDE BOZIER SAINT GEORGES CEDEX VILLENEUVE 94195 FRANCE
3	CENTRE D'ETUDES DE VAUJOURS ATTN PLOTARD JEAN-PAUL ERIC BOTTET TAT SIHN VONG BOITE POSTALE NO 7 COUNTRY 77181 FRANCE
6	CENTRE DE RECHERCHES ET D'ETUDES D'ARCUEIL ATTN D BOUVART C COTTENNOT S JONNEAUX H ORSINI S SERROR F TARDIVAL 16 BIS AVENUE PRIEUR DE LA COTE D'OR F94114 ARCUEIL CÉDEX FRANCE
1	DAT ETBS CETAM ATTN CLAUDE ALTMAYER ROUTE DE GUERRY BOURGES 18015 FRANCE
1	ETBS DSTI ATTN P BARNIER ROUTE DE GUERAY BOITE POSTALE 712 18015 BOURGES CEDEX FRANCE
1	FRENCH GERMAN RESEARCH INST ATTN CHANTERET P-Y CEDEX 12 RUE DE L'INDUSTRIE BP 301 F68301 SAINT-LOUIS FRANCE

NO. OF COPIES	ORGANIZATION
5	FRENCH GERMAN RESEARCH INST ATTN HANS-JURGEN ERNST FRANCIS JAMET PASCALE LEHMANN K HOOG H LERR CEDEX 5 5 RUE DU GENERAL CASSAGNOU SAINT LOUIS 68301 FRANCE
1	LABORATOIRE DE TECHNOLOGIE DES SURFACES ECOLE CENTRALE DE LYON ATTN VINET P BP 163 69131 ECULLY CEDEX FRANCE
1	BATTELLE INGENIEUTECHNIK GMBH ATTN W FUCHE DUESSELDORFFER STR 9 ESCHBORN D 65760 GERMANY
1	CONDAT ATTN J KIERMEIR MAXIMILIANSTR 28 8069 SCHEYERN FERNHAG GERMANY
1	DEUTSCHE AEROSPACE AG ATTN MANFRED HELD POSTFACH 13 40 D 86523 SCHROBENHAUSEN GERMANY
1	DIEHL GBMH AND CO ATTN M SCHILDKNECHT FISCHBACHSTRASSE 16 D 90552 RÖTGENBACH AD PEGNITZ GERMANY

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
5	ERNST MACH INSTITUT ATTN VOLKER HOHLER E SCHMOELINSKE E SCHNEIDER A STILP K THOMA ECKERSTRASSE 4 D-7800 FREIBURG I BR 791 4 GERMANY
1	EUROPEAN SPACE AGENCY ATTN WALTER FLURY ESOC 5 ROBT BOSCHT STRASSE DARMSTADT 6100 GERMANY
3	FRAUNHOFER INSTITUT FUER KURZZEITDYNAMIK ERNST MACH INSTITUT ATTN H ROTHENHAEUSLER H SENF E STRASSBURGER HAUPTSTRASSE 18 D79576 WEIL AM RHEIN GERMANY
3	FRENCH GERMAN RESEARCH INST ATTN HARTMUTH F LEHR ROLF HUNKLER ERICH WOLLMANN POSTFACH 1260 WEIL AM RHEIN D-79574 GERMANY
2	IABG ATTN M BORRMANN H G DORSCH EINSTEINSTRASSE 20 D 8012 OTTOBRUN B MUENCHEN GERMANY
1	INGENIEURBÜRO DEISENROTH AUF DE HARDT 33 35 D5204 LOHMAR 1 GERMANY

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	TU CHEMNITZ-ZWICKAU ATTN I FABER L KRUEGER LOTHAR MEYER FAKULTAET FUER MASCHINENBAU U. VERFAHRENSTECHNIK SCHEFFELSTRASSE 110 09120 CHEMNITZ GERMANY
1	TECHNISCHE UNIVERSITAT MUENCHEN ATTN EDUARD B IGENBERGS RICHARD WAGNER STR 18 111 MUENCHEN 2 D8000 GERMANY
1	BHABHA ATOMIC RESEARCH CENTRE HIGH PRESSURE PHYSICS DIVISION ATTN N SURESH TROMBAY BOMBAY 400 085 INDIA
5	RAFAEL BALLISTICS CENTER ATTN EREZ DEKEL YEHUDA PARTOM G ROSENBERG Z ROSENBERG Y YESHURUN PO BOX 2250 HAIFA 31021 ISRAEL
1	TECHNION INST OF TECH FACULTY OF MECH ENGN ATTN SOL BODNER TECHNION CITY HAIFA 32000 ISRAEL
1	IHI RESEARCH INSTITUTE STRUCTURE & STRENGTH ATTN: TADASHI SHIBUE 1-15, TOYOSU 3 KOTO, TOKYO 135 JAPAN

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	ESTEC CS ATTN DOUGLAS CASWELL BOX 200 NOORDWIJK 2200 AG NETHERLANDS	3	INSTITUTE OF CHEMICAL PHYSICS RUSSIAN ACADEMY OF SCIENCES ATTN A M MOLODETS S V RAZORENOV A V UTKIN 142432 CHERNOGOLOVKA MOSCOW REGION RUSSIAN REPUBLIC
2	EUROPEAN SPACE AGENCY ESTEC ATTN LUCY BERTHOUD MICHEL LAMBERT POSTBUS BOX 299 NOORDWIJK NL2200 AG NETHERLANDS	3	INSTITUTE OF MECH ENGINEERING PROBLEMS ATTN V BULATOV D INDEITSEV Y MESCHERYAKOV BOLSHOY, 61, V.O. ST PETERSBURG 199178 RUSSIAN REPUBLIC
4	PRINS MAURITS LABORATORY ATTN H J REITSMA EDWARD VAN RIET H PASMAN R YSSELSTEIN TNO BOX 45 RIJSWIJK 2280AA NETHERLANDS	2	IOFFE PHYSICO TECHNICAL INSTITUTE DENSE PLASMA DYNAMICS LABORATORY ATTN EDWARD M DROBYSHEVSKI A KOZHUSHKO ST PETERSBURG 194021 RUSSIAN REPUBLIC
1	ROYAL NETHERLANDS ARMY ATTN J HOENEVELD V D BURCHLAAN 31 PO BOX 90822 2509 LS THE HAGUE NETHERLANDS	1	IPE RAS ATTN A A BOGOMAZ DVORTSOVAIA NAB 18 ST PETERSBURG RUSSIAN REPUBLIC
4	HIGH ENERGY DENSITY RESEARCH CTR ATTN VLADIMIR E FORTOV GENADII I KANEL V A SKVORTSOV O YU VOJOBIEV IZHORSKAJA STR 13/19 MOSCOW 127412 RUSSIAN REPUBLIC	2	LAVRENTYEV INST. HYDRODYNAMICS ATTN LEV A MERZHIEVSKY VICTOR V SILVESTROV NOVOSIBIRSK 630090 RUSSIAN REPUBLIC
1	INSTITUTE OF CHEMICAL PHYSICS ATTN A YU DOLGOBORODOV KOSYGIN ST 4 V 334 MOSCOW RUSSIAN REPUBLIC	1	MOSCOW INST OF PHYSICS & TECH ATTN S V UTUZHNIKOV DEPT OF COMPUTATIONAL MATHEMATICS DOLGOPRUDNY 1471700 RUSSIAN REPUBLIC
		1	RESEARCH INSTITUTE OF MECHANICS NIZHNIY NOVGOROD STATE UNIVERSITY ATTN A SADYRIN P.R. GAYARINA 23 KORP 6 NIZHNIY NOVGOROD 603600 RUSSIAN REPUBLIC

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	SAMARA STATE AEROSPACE UNIV ATTN L G LUKASHEV SAMARA RUSSIAN REPUBLIC
1	TOMSK BRANCH OF THE INSTITUTE FOR STRUCTURAL MACROKINETICS ATTN V GORELSKI 8 LENIN SQ GSP 18 TOMSK 634050 RUSSIAN REPUBLIC
1	UNIVERSIDAD DE CANTABRIA FACULTAD DE CIENCIAS DEPARTAMENTO DE FISICA APLICADA ATTN J AMOROS AVDA DE LOS CASTROS S/N SANTANDER SPAIN
4	DEPARTAMENTO DE QUIMICA FISICA FACULTAD DE CIENCIAS QUIMICAS UNIVERSIDAD COMPLUTENSE DE MADRID ATTN V G BAONZA M TARAVILLO M CACERAS J NUNEZ 28040 MADRID SPAIN
1	CARLOS III UNIV OF MADRID ATTN C NAVARRO ESCUELA POLITEENICA SUPERIOR C/. BUTARQUE 15 28911 LEGANES MADRID SPAIN
1	UNIVERSIDAD DE OVIEDO FACULTAD DE QUIMICA DEPARTAMENTO DE QUIMICA FISICA Y ANALITICA ATTN E FRANCISCO AVENIDA JULIAN CLAVERIA S/N 33006 - OVIEDO SPAIN

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DYNAMIC RESEARCH AB ATTN AKE PERSSON PARADISGRAND 7 SODERTALJE S 151 36 SWEDEN
3	NATL DEFENCE RESEARCH EST ATTN LARS HOLMBERG ULF LINDEBERG LARS GUNNAR OLSSON FOA BOX 551 TUMBA S 14725 SWEDEN
2	SWEDISH DEFENCE RSCH ESTAB DIVISION OF MATERIALS ATTN S J SAVAGE J ERIKSON S17290 STOCKHOLM SWEDEN
3	SWEDISH DEFENCE RSCH ESTAB ATTN L HOLMBERG B JANZON I MELLGARD BOX 551 S14725 TUMBA SWEDEN
1	K&W THUN ATTN W LANZ ALLMENDSSTRASSE 86 CH 3602 THUN SWITZERLAND
2	AWE ATTN MICHAEL GERMAN WAYNE HARRISON FOULNESS ESSEX SS3 9XE UNITED KINGDOM
1	CENTURY DYNAMICS LTD ATTN NIGEL FRANCIS DYNAMICS HOUSE HURST RD HORSHAM WEST SUSSEX RH12 2DT UNITED KINGDOM

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
6	DEFENCE RESEARCH AGENCY ATTN W A J CARSON I CROUCH C FREW T HAWKINS B JAMES B SHRUBSALL CHOBHAM LANE CHERTSEY SURREY KT16 0EE UNITED KINGDOM
1	ROYAL ARMAMENT R&D ESTAB ATTN I CULLIS FORT HALSTEAD SEVENOAKS KENT TN14 7BJ UNITED KINGDOM
1	UK MINISTRY OF DEFENCE ATTN GRAHAM J CAMBRAY CBDE PORTON DOWN SALISBURY WILTSHIRE SPR 0JQ UNITED KINGDOM
2	UNIVERSITY OF KENT UNIT FOR SPACE SCIENCES ATTN PHILIPPE GENTA PAUL RATCLIFF CANTERBURY KENT CT2 7NR UNITED KINGDOM
7	INSTITUTE FOR PROBLEMS IN MATERIALS STRENGTH ATTN S FIRSTOV B GALANOV O GRIGORIEV V KARTUZOV V KOVTUN Y MILMAN V TREFILOV 3, KRHYZHANOVSKY STR 252142, KIEV-142 UKRAINE
1	INSTITUTE FOR PROBLEMS OF STRENGTH ATTN G STEPANOV TIMIRYAZEVSKEY STR 2 252014 KIEV UKRAINE

INTENTIONALLY LEFT BLANK

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE June 1997	3. REPORT TYPE AND DATES COVERED Final, Jan - May 97		
4. TITLE AND SUBTITLE Regarding the Frequency-Based Equation of State of Segletes		5. FUNDING NUMBERS 61102AH43		
6. AUTHOR(S) Steven B. Segletes				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-WM-TD Aberdeen Proving Ground, MD 21005-5066		8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-1403		
9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) <p>Clarifications and observations are made regarding Segletes' equation of state, in response to recent comments and criticisms. A theoretical justification for the form of the equation of state is laid out in more precise detail. The model is shown to produce high-quality fits to shock-, as well as cold-compression data, especially when accounting for the experimental variability of the model input parameters. The falseness of the correspondence between the volumetric and vibrational spring constants for an atomic lattice, previously inferred from Segletes' equation of state, is proven by alternate means. The non-Grüneisen behavior of aluminum is addressed, and a brief note is made regarding the nature of isentropic transitions.</p>				
14. SUBJECT TERMS equation of state, frequency, shock-compression data, atomic lattice			15. NUMBER OF PAGES 45	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number/Author ARL-TR-1403 (Segletes) Date of Report June 1997

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Organization

Name

E-mail Name

Street or P.O. Box No.

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)
(DO NOT STAPLE)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 0001,APG,MD

POSTAGE WILL BE PAID BY ADDRESSEE

DIRECTOR
US ARMY RESEARCH LABORATORY
ATTN AMSRL WM TD
ABERDEEN PROVING GROUND MD 21005-5066



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

